SUMMER 2024 RENOVATIONS

PARK RIDGE-NILES SCHOOL DISTRICT 64

8182 GREENDALE AVE NILES, IL 60714 230153-02 2023-10-04

ISSUE FOR BID

| | SHEET INDEX |
|---|--|
| G0.00 | COVER SHEET |
| G0.02 | GENERAL INFORMATION, SYMBOLS, NOTES & ABBREVIATIONS |
| | |
| CARPENTER G0.00 | COVER SHEET - CARPENTER ELEMENTARY |
| | OSVERGILET STATE CELLILETTIAN |
| AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - CARPENTER ELEMENTARY |
| A2.01 | LEVEL 1 FLOOR PLAN - CARPENTER ELEMENTARY |
| A7.01 | ENLARGED PLANS & DETAILS |
| A8.03 | DOOR & WINDOW SCHEDULES & DETAILS |
| FIELD | |
| G0.00 | COVER SHEET - FIELD ELEMENTARY |
| AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - FIELD ELEMENTARY |
| A2.01 | LEVEL 1 FLOOR PLAN - FIELD ELEMENTARY |
| A7.01 | ENLARGED PLANS & DETAILS |
| A8.03 | DOOR & WINDOW SCHEDULES & DETAILS |
| G0.00 AD2.01 | COVER SHEET - FRANKLIN ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - FRANKLIN ELEMENTARY |
| 10.04 | LEVEL 4 ELOOD DI ANI EDANIZIN ELEMENTADV |
| A2.01 A7.01 | LEVEL 1 FLOOR PLAN - FRANKLIN ELEMENTARY ENLARGED PLANS & DETAILS |
| A8.03 | DOOR & WINDOW SCHEDULES & DETAILS |
| | |
| LINCOLN G0.00 | COVER SHEET - LINCOLN MIDDLE SCHOOL LEVEL 1 DEMOLITION ELOOR PLAN - LINCOLN MIDDLE SCHOOL |
| G0.00 AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL |
| G0.00 | |
| G0.00 AD2.01 A2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS |
| AD2.01 A2.01 A8.03 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 A8.04 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS DOOR DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS DOOR DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 A8.04 WASHINGTO | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS DOOR DETAILS |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 A8.04 WASHINGTO G0.00 AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS DOOR DETAILS ON COVER SHEET - WASHINGTON ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - WASHINGTON ELEMENTARY |
| G0.00 AD2.01 A2.01 A8.03 ROOSEVELT G0.00 AD2.01 A2.01 A7.01 A8.03 A8.04 WASHINGTO | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL DOOR & WINDOW SCHEDULES & DETAILS COVER SHEET - ROOSEVELT ELEMENTARY LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS DOOR DETAILS ON COVER SHEET - WASHINGTON ELEMENTARY |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: | |
|----------------------------|--|
| ILLINOIS REGISTRATION NO.: | |
| DATE: | |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

| LLINOIS REGISTRATION NO.: | |
|---------------------------|--|
| | |
| λ ΑΤΕ· | |

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| SIGNED: | ARCHITECT/ENGINEER | |
|--------------|--------------------|--|
| ILLINOIS REG | ISTRATION NO.: | |
| DATE: | | |


FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| ILLLOVV | GAO |
|---------|-----------------------------|
| RED — | ——— ELECTRICAL |
| ORANGE | PHONE / TV COMMUNICATION |
| BLUE — | WATER |
| GREEN — | SEWERS |
| WHITE - | SAFE TO DIG |
| | |



TYPICAL DOOR LOCATION



FIRESTOP SYSTEM MATRIX **ABBREVIATIONS**

1. UL TEST DESIGNATION SHOWN ARE FOR GUIDANCE ONLY. CONTRACTOR SHALL PROVIDE SUBMITTALS FOR EACH BASED ON | ACI. ACTUAL FIELD CONDITIONS. REFER TO THE UL THROUGH PENETRATION GUIDELINES FOR

ADDITIONAL USE OF SYSTEMS.

B. CONTRACTOR SHALL COORDINATE THE ALLOWED MOVEMENT OF ADA A FIRESTOP SYSTEM WITH THE STRUCTURAL ENGINEERS ANTICIPATED SLAB MOVEMENT. IF ANY DEVIATIONS OCCUR FROM THE SYSTEMS SHOWN, THE ALT. CONTRACTOR SHALL SUBMIT AN ALTERNATE UL TESTED SYSTEM OR MANUFACTURER'S ENGINEERING JUDGMENT.

THROUGH-PENTRATIONS

| | • | | |
|---|---|-------------------------------|-----------------------|
| DESCRIPTION | CONCRETE FLOOR OR BLOCK WALLS | GYPSUM WALLS | GYPSUM SHAFT WALLS |
| BLANK OPENING | CAJ-0090 FA-0014 | WL-0012 WL-0040 | |
| METAL PIPE | CAJ-1226 FA-1016 | WL-1054 WL-1297 | WL-1205 WL-1380 |
| PLASTIC PIPE | CAJ-2109 FA-2054 | WL-2078 WL-2128 | |
| INSULATED PLASTIC PIPE | CAJ-5320 | WL-5225 | |
| CABLE BUNDLE | CAJ-3095 FA-3007 | WL-3065 WL-3334 WL-3384 | WL-3161 |
| CABLE TRAYS | CAJ-4071 CAJ-4083 | WL-4011 | |
| METAL PIPE WITH GLASS FIBER OR POLYISO INSUL. | FA-5032 CAJ-5091 FA-5017 | WL-5029 WL-5257 | WL-5244 |
| METAL PIPE WITH AB/PVC INSUL. | CAJ-5090 FA-5032 FA-5015 | WL-5028 | WL-5143 |
| MISC. ELECTRICAL/ BUSWAY | CAJ-6017 CAJ-6042 | WL-6019 | |
| SHEET METAL DUCT/ RECTANGULAR | CAJ-7051 | WL-7040 WL-7155 WL-7059 | |
| SHEET METAL DUCT/ ROUND | CAJ-7084 | WL-7042 WL-7153 | WL-7068 |
| MULTIPLE PENETRATIONS | CAJ-8143 FA-8012 FA-5032 | WL-8065 WL-8079 WL-8071 | WL-8098 |
| TOF | OF WALL | JOINT | S |
| DESCRIPTION | CONCRETE BLOCK WALLS | GYPSUM WALLS | EXTERIOR WALL |
| PERP. TO METAL DECK | HWD-0042 HWD-1066/1067 HWD-0045 | HWD-1037 HWD-0081 | |
| PARALLEL TO METAL DECK | HWD-0049 HWD-1067 HWD-0184 | HWD-0181 HWD-0081 | |

ACCESS. ACCESSIBLE AMERICAN CONCRETE MFR./MAN INSTITUTE UF./MANF. ACOUST. ACOUSTICAL MDF ACOUSTICAL CEILING TILE

MINIMUM MISC. METAL

MASONRY OPENING APPROX. APPROXIMATE ARCH. ARCHITECTURAL NECESSARY ASTM. AMERICAN SOCIETY FOR N.I.C. NOT IN CONTRACT TESTING AND MATERIALS NUMBER NOT TO SCALE NTS ON CENTER OUTSIDE DIAMETER OVERFLOW ROOF DRAIN PIPE BOLLARD PERS. PERSON PL./P LAM PLASTIC LAMINATE CENTER TO CENTER PLYWOOD DOOR ACTUATOR PUSH PSF. POUNDS PER SQUARE FEET POUNDS PER SQUARE INCH PAINT(ED)

PRESSURE TREATED

REFLECTED CEILING PLAN

SOUND ATTENUATION FIBER

RADIUS

ROOM

ROOF DRAIN

ROUGH OPENING

BATT INSULATION

SEALED CONCRETE

SCHEMATIC DESIGN

STRUCTURAL GLAZED

STEEL JOINT INSTITUTE

SOUND TRANSMISSION

SQUARE FEET

FACING TILE

SHEET METAL

STONE TILE

COEFFICIENT

STEEL ANGLE

STORAGE

STRUCTURAL

SHEET VINYL

TOP OF FOOTING

TEXTURED PAINT

SYNTHETIC

TYPICAL

SURVEY

VINYL BASE

VERTICAL

WOMENS

WITHOUT

VERIFY IN FIELD

WATER CLOSET

VINYL WALL COVERING

WELDED WIRE FABRIC

SPECIFICATIONS

STONE TILE BASE

STAINLESS STEEL

SHEET

SIMILAR

SPACES

SIM.

S.M.

STL./SS

STRUCT

STOR.

SYN

T/FTG.

ROOF TOP UNIT

SCHEDULE

RESTROOM

CENTERLINE CONTROL JOINT CONCRETE MASONRY COLUMN PT/PTD CEILING CLEAR RCP CONCRETE **CONTINUOUS** CONTRACTOR RESTRM CORRIDOR CARPET ACCESS CARD READER SAFB CERAMIC TILE DEMOLITION DIAMETER SCHD./SC **DIMENSIONS** DOWN DOOR DOWN SPOUT SGFT. DRAWINGS

EXISTING TO REMAIN

FIRE EXTINGUISHER

FLOOR DRAIN

FACTORY FINISH

HOLLOW METAL

AIR CONDITIONING

INSULATED/INSULATION

HORIZONTAL

HIGH POINT

INTERIOR

LAVATORY LINOLEUM POUNDS LOW POINT

MENS MATERIAL

MAXIMUM

MAX.

<u>MATCHLINE</u>

_ . . _ . . _

FINISHED

FOOT/FEET

FOOTING

GAUGE

BUILDING

BOTTOM OF

BEAM

BREAK

CABINET

EXTERIOR INSULATED FINISH SYSTEM ELEVATION ELECTRICAL **ELEVATOR EXPANSION JOINT EQUAL EQUIPMENT** ELECTRIC WATER COOLER **EXPANSION EXTERIOR EXISTING**

FL./FLR. FLOOR HWD-0539 FOUNDATION FOUND. PARALLEL TO STEEL | HWD-0259 HWD-1068 FLAT CONCRETE HWD-0209 GALV. GALVANIZED **CUT TO PROFILE** GYP. BD. HWD-0570 SHAFT WALL PARALLEL TO DECK HOR. SHAFT WALL PERP. HWD-0569 HT/HGT. HEIGHT HVAC TO DECK HEATING, VENTILATION & SHAFT WALL TO HWD-0342 HWD-0572 INSUL. FLAT CONCRETE

WALL/BUILDING SECTION SYMBOL

MASONRY MANUFACTURER MEDIUM DENSITY FIBERBOARD MILLIMETERS AMERICANS WITH DISABILITIES ACT ABOVE FINISHED FLOOR MISCELLANEOUS ALTERNATE MAGNETIC HOLD OPEN ALUM./AL. ALUMINUM

HAVING JURISDICTION AT THE PROJECT LOCATION. UNLESS OTHERWISE INDICATED IN THE CONSTRUCTION DOCUMENTS AS BEING NOT IN CONTRACT (N.I.C.) OR EXISTING, ITEMS, MATERIALS AND INSTALLATION OF SAME ARE PART OF THE CONTRACT AS DEFINED BY THE CONSTRUCTION DOCUMENTS. THE CONTRACTORS SHALL PROVIDE AND INSTALL ACCESSORIES, COMPONENTS AND ASSEMBLIES REQUIRED FOR THE WORK DEPICTED OR SPECIFIED.

EACH CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING DIMENSIONS AND EXISTING CONDITIONS BEFORE COMMENCING WORK. REPORT DISCREPANCIES AND/OR POTENTIAL PROBLEMS PRIOR TO PROCEEDING

WITH AFFECTED WORK. FIRE-RATED ASSEMBLIES SHALL BE INSTALLED, LABELED, AND INSPECTED IN ACCORDANCE WITH THE APPLICABLE CODES. THIS INCLUDES FIRE DAMPERS OR FIRE DOORS PROVIDED WHERE AIR DUCTS OR OPENINGS PENETRATE FIRE RATED SURFACES. PENETRATIONS OF RATED FIRE RESISTIVE CONSTRUCTION SHALL BE PROTECTED WITH APPROVED FIRE ASSEMBLIES.

GENERAL NOTES

WORK, MATERIALS AND METHODS SHALL BE IN CONFORMANCE WITH THE

CODES, ORDINANCES AND REGULATIONS OF GOVERNMENTAL AGENCIES

PENETRATIONS THROUGH SURFACE SHALL BE SEALED WITH SEALANT MATERIAL PER SPECIFICATIONS. FOR PLUMBING, FIRE SPRINKLER AND

ELECTRICAL SYSTEMS. IN THE EVENT OF DISCREPANCIES BETWEEN DRAWINGS AND/OR SPECIFICATIONS, THE MORE COSTLY OR MORE RESTRICTIVE CONDITIONS SHALL BE DEEMED THE CONTRACT REQUIREMENT UNLESS OTHERWISE STATED IN WRITING. PROVIDE GALVANIC PROTECTION BETWEEN DISSIMILAR MATERIALS, WHERE REQUIRED.

KEEP PIPING AS CLOSE TO WALLS AS POSSIBLE UNLESS NOTED OTHERWISE NO CONTRACTORS SHALL CLOSE OR OBSTRUCT STREETS, DOCKS, ALLEYS OR WALKS. NO MATERIALS ARE TO BE PLACED OR STORED IN STREETS, ALLEYS OR WALKS. DEBRIS IS TO BE REMOVED COMPLETELY FROM THE

CONTRACTORS SHALL PROVIDE AND ARE SOLELY RESPONSIBLE AND LIABLE FOR PUBLIC AND EMPLOYEE PROTECTION AS NECESSARY AND AS REQUIRED BY THE CODES, INCLUDING EXTERIOR, INTERIOR PEDESTRIAN AND TRAFFIC BARRIERS. EXISTING EXIT CORRIDORS, PATHS OF EXITS, STAIRWAYS, OR EXIT SIGNAGE, MUST HAVE A CLEAR MEANS OF EGRESS DURING PHASES OF CONSTRUCTION. CONTRACTORS WISHING TO WORK IN THE BUILDING OR ON THE BUILDING PROPERTY SHALL BE REQUIRED TO PRESENT THE PROPER CERTIFICATES OF INSURANCE. CONTRACTORS ARE REQUIRED TO BE LICENSED WITH THE LOCAL JURISDICTION. LICENSES AND BONDING ARE TO BE INCLUDED IN THE BID PER THE REQUIREMENTS IN THE SPECIFICATIONS.

DIMENSIONS NOTED ON THE ARCHITECTURAL FLOOR PLAN REGARDING DETAILS AND PARTITION THICKNESSES ARE NOMINAL DIMENSIONS. REFER TO A8 SERIES FOR THE EXACT DIMENSION.

GENERAL NOTES - DEMO

PROVIDE TEMPORARY STRUCTURAL SUPPORT FOR EXISTING OPENINGS AT ALL DOOR, FRAME, AND WINDOW ASSEMBLIES TO BE REMOVED. SALVAGE ALL DOOR HARDWARE AND ACCESS CONTROL HARDWARE TO

VERIFY ALL CONDITIONS IN FIELD AND AVOID DAMAGING ADDITIONAL AREAS OUTSIDE THE REMOVAL AREA. ANY DAMAGED AREAS SHALL BE REPAIRED OR REPLACED IN KIND TO MATCH EXISTING LEVEL OF FINISH. PROTECT ALL OTHER OPENINGS AND SPACES FROM DEBRIS AND DAMAGE. COORDINATE REMOVAL WORK WITH THE OWNER AND BUILDING OCCUPANTS AS THE EXISTING BUILDING MAY BE OCCUPIED.


MAINTAIN ALL EXISTING EGRESS PATHS AS MUCH AS POSSIBLE. PROVIDE

RESPONSIBLE FOR MEANS AND METHODS TO REMOVE THESE AS CLEANLY AS

TEMPORARY DIRECTIONAL SIGNAGE FOR ROUTING OCCUPANTS ALONG ALTERNATE EGRESS PATHS. UNLESS NOTED OTHERWISE 6. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION EXISTING U/ROOF DECK UNDERSIDE OF ROOF DECK ETC TO ACCOMMODATE THE REMOVAL WORK. ALL EXISTING HOLLOW METAL DOOR FRAMES TO BE REMOVED ARE VINYL COMPOSITION TILE GROUT/MORTAR FILLED. CONTRACTOR SHALL PROVIDE REMOVAL AND IS

> DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION ALL WALL MOUNTED PROTECTION DEVICES AND VISUAL DISPLAY BOARDS AT GYMNASIUMS RECEIVING FLOORING WORK, TABLE REPLACEMENT, AND PAINTING WORK.

SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING MORTAR, CLEAN AND SALVAGE FOR REINSTALLATION. 10. COORDINATE ALL REMOVAL WORK WITH NEW WORK AND OTHER TRADES.



<u>WINDOW / STOREFRONT TAG SYMBOL</u>

PARTITION TYPE SYMBOL

1t WINDOW/STOREFRONT NUMBER

PARTITION TYPE





P 630.969.7000

F 630.969.7979

ISSUE FOR BID DESCRIPTION

SUMMER 2024 RENOVATIONS

8182 GREENDALE AVE

GENERAL INFORMATION, SYMBOLS, NOTES & **ABBREVIATIONS**

G0.02

SUMMER 2024 RENOVATIONS - CARPENTER ELEMENTARY

PARK RIDGE-NILES SCHOOL DISTRICT 64

300 N HAMLIN AVE PARK RIDGE, IL 60068 230153-02 2023-10-04

ISSUE FOR BID

| SHEET INDEX | | |
|-----------------------|--|--|
| GENERAL | | |
| 3 0.00 | COVER SHEET - CARPENTER ELEMENTARY | |
| ARCHITECTURAL | DEMOLITION | |
| AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - CARPENTER ELEMENTARY | |
| ARCHITECTURAL | | |
| \2.01 | LEVEL 1 FLOOR PLAN - CARPENTER ELEMENTARY | |
| \ 7.01 | ENLARGED PLANS & DETAILS | |
| ¥8.03 | DOOR & WINDOW SCHEDULES & DETAILS | |
| A8.03 Grand total: 5 | DOOR & WINDOW SCHEDULES & DETAILS | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: |
|----------------------------|
| |
| |
| ILLINOIC DECICEDATION NO . |
| ILLINOIS REGISTRATION NO.: |
| |
| |
| DATE: |
| |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

LLINOIS REGISTRATION NO.:

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| IGNED: | |
|---------------------|--------------------|
| | ARCHITECT/ENGINEER |
| | |
| LINOIS REGISTRATION | ON NO.: |
| | |
| ATE: | |
| AIC | |

FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| YELLOWREDORANGE | ELECTRICAL |
|---|------------|
| BLUEGREENWHITE | |



10/4/2023 12:00:47 PM U:\230153 ParkRidge-Niles Summer 2024 Carpenter\230153 ParkRidge-Nilles Summer 2024 Carpenter ARCH 2023

ETC. TO ACCOMMODATE THE REMOVAL WORK. POSSIBLE. EXISTING WALLS TO BE DEMOLISHED. D2 REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REINSTALLATION.

GENERAL NOTES

- 1. PROVIDE TEMPORARY STRUCTURAL SUPPORT FOR EXISTING OPENINGS AT ALL DOORS, FRAMES, AND WINDOW ASSEMBLIES TO BE REMOVED. 2. SALVAGE ALL DOOR HARDWARE AND ACCESS CONTROL HARDWARE TO
- 3. VERIFY ALL CONDITIONS IN FIELD AND AVOID DAMAGING ADDITIONAL AREAS
- OUTSIDE THE REMOVAL AREA. ANY DAMAGED AREAS SHALL BE REPAIRED OR REPLACED IN KIND TO MATCH EXISTING LEVEL OF FINISH. 4. PROTECT ALL OTHER OPENINGS AND SPACES FROM DEBRIS AND DAMAGE.
- COORDINATE REMOVAL WORK WITH THE OWNER AND BUILDING OCCUPANTS AS THE EXISTING BUILDING MAY BE OCCUPIED. 5. MAINTAIN ALL EXISTING EGRESS PATHS AS MUCH AS POSSIBLE. PROVIDE
- TEMPORARY DIRECTIONAL SIGNAGE FOR ROUTING OCCUPANTS ALONG ALTERNATE EGRESS PATHS. 6. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION EXISTING LIGHTING, ELECTRICAL DEVICES, EXIT SIGNS, ACCESS CONTROL HARDWARE,
- 7. ALL EXISTING HOLLOW METAL DOOR FRAMES TO BE REMOVED ARE GROUT/MORTAR FILLED. CONTRACTOR SHALL PROVIDE REMOVAL AND IS RESPONSIBLE FOR MEANS AND METHODS TO REMOVE THESE AS CLEANLY AS
- 8. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION ALL WALL MOUNTED PROTECTION DEVICES AND VISUAL DISPLAY BOARDS AT GYMNASIUMS RECEIVING FLOORING WORK, TABLE REPLACEMENT, AND
- PAINTING WORK. 9. SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING MORTAR, CLEAN, AND SALVAGE FOR REINSTALLATION.

10. COORDINATE ALL REMOVAL WORK WITH NEW WORK AND OTHER TRADES.

DEMOLITION PLAN LEGEND

EXISTING WALLS TO REMAIN.

EXISTING DOOR TO REMAIN. REFER TO DOOR SCHEDULE FOR REQUIRED MODIFICATIONS.

EXISTING DOOR TO BE DEMOLISHED.

KEYNOTE LEGEND

- D1 EXISTING POURED URETHANE FLOOR TO REMAIN. ALTERNATE BID: REMOVAL OF THE EXISTING POURED URETHANE FLOOR DOWN TO THE EXISTING CONCRETE SLAB WILL BE BY THE ABATEMENT CONTRACTOR.
- REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION. D3 REMOVE EXISTING PULL OUT LUNCH TABLES AND WALL-MOUNTED STORAGE
- FRAMES. SALVAGE TO OWNER. D4 ALTERNATE BID: REMOVE EXISTING PULL OUT LUNCH TABLES AND WALL-MOUNTED STORAGE FRAMES IN SOUTH GYMNASIUM. SALVAGE TO
- D5 REMOVE EXISTING FLOOR RECESSED SLEEVE. D6 REMOVE EXISTING WALL BASE AT ENTIRE GYM PERIMETER.
- D7 REMOVE EXISTING WALL HANGING ATHLETIC SAFETY MATS. SALVAGE FOR REINSTALLATION. MAINTAIN EXISTING WALL-MOUNTED HANGING HARDWARE
- D8 REMOVE EXISTING WALL MOUNTED WALL PADDING. SALVAGE FOR
- REINSTALLATION D10 REMOVE PROTECTIVE CAGES TO ACCOMMODATE PAINTING. SALVAGE FOR
- D11 ALTERNATE BID: REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWAR SALVAGE FOR REINSTALLATION.




Wight & Company wightco.com • • • • • • • • • • • • • • • • • • • 2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979


SUMMER 2024 RENOVATIONS -CARPENTER ELEMENTARY

300 N HAMLIN AVE PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN -**CARPENTER ELEMENTARY**

AD2.01





- ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION).
 ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- 3. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST TO THE OWNER.
- TO THE OWNER.

 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE.

 DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS

 REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER.

 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH.
 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL.
 7. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- WITH ARCHITECT/OWNER.


 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- NECESSARY TO MATCH ADJACENT SURFACES.

 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.
- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL.
 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE.
 DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT.
 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH
- ATHLETIC FLOORING WORK.

 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE DETAILS ON SHEET A8.03.



KEYNOTE LEGEND

PROVIDE ALUMINUM ENTRANCE SYSTEM WITH DOORS, FRAME, HARDWARE, ACCESS CONTROL, AND SECURITY HARDWARE. SEE DOOR SCHEDULE.
 PROVIDE NEW HOLLOW METAL DOOR, FRAME, AND HARDWARE. SEE DOOR

15 ALTERNATE BID: PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING.

16 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING

14 ALTERNATE BID: PROVIDE NEW HOLLOW METAL DOOR, FRAME, AND

HARDWARE. SEE DOOR SCHEDULE.

DECAL SIGNAGE SIZE, TYPE, AND COLOR.

FIELD VERIFY ALL TABLE SIZES.

FLOOR PLAN - LEVEL 1

SCALE: 1/16" = 1'-0"





wight a company wightco.com

2500 North Frontage Road Darien, IL 60561

P 630.969.7000
F 630.969.7979

ISSUE FOR BID
REV DESCRIPTION

SUMMER 2024 RENOVATIONS -CARPENTER ELEMENTARY

300 N HAMLIN AVE PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN -CARPENTER ELEMENTARY


Project Nun 230153-02 Drawn By: WIGHT Sheet:

A2.01


10/04/2023

EXISTING FLOORING FLOOR TRANSITION STRIP - 2MM OVERLAY SURFACE POUR TWO-COMPONENT SEAL LAYER OVER SHOCK PAD 4MM RUBBER SHOCK PAD 1.3MM ENCAPSULATION SHEET OVER EXISTING ATHLETIC FLOORING EXISTING ATHLETIC FLOORING. PREP AND FILL PRIOR TO INSTALLATION OF NEW ATHLETIC FLOORING SYSTEM EXISTING CONCRETE FLOOR SLAB

> FLOOR TRANSITION - ATHLETIC FLOORING OVERLAY TO EXISTING SCALE: 6" = 1'-0"




ALT BID DETAIL - ATHLETIC FLOORING FULL DEPTH SCALE: 6" = 1'-0"



DETAIL - ATHLETIC FLOORING OVERLAY


SCALE: 6" = 1'-0"



ENLARGED PLAN - GYM 170 SCALE: 1/8" = 1'-0"

GENERAL NOTES

- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- . THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST TO THE OWNER.
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION
- WITH ARCHITECT/OWNER. 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA
- COMPLAINT PLANS, ELEVATIONS, AND DETAILS. 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL. 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER.
- 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH ATHLETIC FLOORING WORK.
- 7. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- DETAILS ON SHEET A8.03.



STRIPING LEGEND BASKETBALL STRIPING: RED

VOLLEYBALL STRIPING: GREEN P.E. STRIPING: BLUE P.E. STRIPING: YELLOW

1. FIELD VERIFY EXISTING STRIPING DIMENSIONS AND STRIPE WIDTHS BEFORE INSTALLATION OF NEW ATHLETIC FLOORING 2. VERIFY STRIPING LAYOUTS WITH OWNER

KEYNOTE LEGEND

- PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING. FIELD VERIFY ALL TABLE SIZES.
- PROVIDE POURED ATHLETIC FLOOR OVERLAY ASSEMBLY AT EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE A RESILIENT SHEET OVERLAY ASSEMBLY AT THE EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE FULL-DEPTH POURED URETHANE ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PREP. LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. ALTERNATE BID: PROVIDE FULL-DEPTH RESILIENT SHEET ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PERP, LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. SEE SPECIFICATION
- 01 2300 ALTERNATES FOR COMPLETE LIST OF ALTERNATES. NEW VOLLEYBALL SLEEVE IN EXISTING CORE 4 PROVIDE NEW RESILIENT WALL BASE AT ENTIRE GYM PERIMETER.

3. VERIFY FINAL COLOR SELECTION WITH OWNER

- REINSTALL EXISTING WALL HANGING ATHLETIC SAFETY MATS. REINSTALL EXISTING WALL-MOUNTED WALL PADDING. PROVIDE WALL PREP AND EPOXY PAINT AT ENTIRE GYM PERIMETER TO 8'-0" A.F.F. (V.I.F. - MATCHLINE OF EXISTING ACCENT PAINT LINE). MATCH EXISTING
- REINSTALL EXISTING BULLETIN BOARDS, PROTECTIVE CAGES, AND COVERS. 0 PROVIDE ACCESSIBLE FLOOR TRANSITION AT EXISTING DOOR TO REMAIN. 11 PREP AND PAINT EXISTING HOLLOW METAL DOOR AND FRAME. INCLUDE CORROSION INHIBITOR APPLICATION WITHIN SURFACE PREP. PROVIDE NEW HOLLOW METAL DOOR, FRAME, AND HARDWARE. SEE DOOR
- SCHEDULE. 14 ALTERNATE BID: PROVIDE NEW HOLLOW METAL DOOR, FRAME, AND HARDWARE. SEE DOOR SCHEDULE.
- 16 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.





Wight & Company wightco.com 2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979

ISSUE FOR BID DESCRIPTION


SUMMER 2024 RENOVATIONS -CARPENTER ELEMENTARY

10/04/2023

300 N HAMLIN AVE PARK RIDGE, IL 60068

ENLARGED PLANS & DETAILS

230153-02 Drawn By: WIGHT



RIDGE NIKES & SCHOOL DISTRICT

Wight & Company wightco.com

2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979

ISSUE FOR BID
REV DESCRIPTION

SUMMER 2024 RENOVATIONS -CARPENTER ELEMENTARY 10/04/2023

300 N HAMLIN AVE PARK RIDGE, IL 60068

DOOR & WINDOW SCHEDULES & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:

A8.03

SUMMER 2024 RENOVATIONS - FIELD ELEMENTARY

PARK RIDGE-NILES SCHOOL DISTRICT 64

707 WISNER ST PARK RIDGE, IL 60068 230153-02

2023-10-04

ISSUE FOR BID

| | SHEET INDEX | |
|----------|--|--|
| NERAL | | |
| 00 | COVER SHEET - FIELD ELEMENTARY | |
| | | |
| CHITECT | TURAL DEMOLITION | |
| 2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - FIELD ELEMENTARY | |
| | | |
| CHITECT | TURAL | |
| | LEVEL 1 FLOOR PLAN - FIELD ELEMENTARY | |
|)1 | | |
|)1)1 | ENLARGED PLANS & DETAILS | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: |
|----------------------------|
| |
| |
| ILLINOIS REGISTRATION NO.: |
| |
| |
| DATE: |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

| SIGNED: | |
|----------------------------|--|
| | |
| ILLINOIS REGISTRATION NO.: | |
| | |

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| IGNED: | | | _ |
|---------------|-----------------------|------------|---|
| | ARCHITEC [*] | T/ENGINEER | |
| | | | |
| LINOIS REGIST | RATION NO.: | | _ |
| | | | |
| ATE: | | | |
| AIL | | | _ |

FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| 0 | YELLOW — — — — — — — — — ORANGE — — — — — — — — — — — — — — — — — — — | GAS ELECTRICAL PHONE / TV COMMUNICATION |
|---|---|---|
| 0 | BLUE ———————————————————————————————————— | WATER SEWERS SAFE TO DIG |
| | | |



10/4/2023 12:02:59 PM

- PROVIDE TEMPORARY STRUCTURAL SUPPORT FOR EXISTING OPENINGS AT ALL DOORS, FRAMES, AND WINDOW ASSEMBLIES TO BE REMOVED.
 SALVAGE ALL DOOR HARDWARE AND ACCESS CONTROL HARDWARE TO
- 3. VERIFY ALL CONDITIONS IN FIELD AND AVOID DAMAGING ADDITIONAL AREAS OUTSIDE THE REMOVAL AREA. ANY DAMAGED AREAS SHALL BE REPAIRED OR
- REPLACED IN KIND TO MATCH EXISTING LEVEL OF FINISH.

 4. PROTECT ALL OTHER OPENINGS AND SPACES FROM DEBRIS AND DAMAGE.
- COORDINATE REMOVAL WORK WITH THE OWNER AND BUILDING OCCUPANTS AS THE EXISTING BUILDING MAY BE OCCUPIED.

 5. MAINTAIN ALL EXISTING EGRESS PATHS AS MUCH AS POSSIBLE. PROVIDE
- TEMPORARY DIRECTIONAL SIGNAGE FOR ROUTING OCCUPANTS ALONG
 ALTERNATE EGRESS PATHS.
 6. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION EXISTING
 LIGHTING, ELECTRICAL DEVICES, EXIT SIGNS, ACCESS CONTROL HARDWARE,

ETC. TO ACCOMMODATE THE REMOVAL WORK.

- 7. ALL EXISTING HOLLOW METAL DOOR FRAMES TO BE REMOVED ARE GROUT/MORTAR FILLED. CONTRACTOR SHALL PROVIDE REMOVAL AND IS RESPONSIBLE FOR MEANS AND METHODS TO REMOVE THESE AS CLEANLY AS POSSIBLE.
- 8. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION ALL WALL MOUNTED PROTECTION DEVICES AND VISUAL DISPLAY BOARDS AT GYMNASIUMS RECEIVING FLOORING WORK, TABLE REPLACEMENT, AND
- PAINTING WORK.

 9. SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING MORTAR, CLEAN, AND SALVAGE FOR REINSTALLATION.

10. COORDINATE ALL REMOVAL WORK WITH NEW WORK AND OTHER TRADES.

DEMOLITION PLAN LEGEND

EXISTING WALLS TO REMAIN.

EXISTING WALLS TO BE DEMOLISHED.

EXISTING DOOR TO REMAIN. REFER TO DOOR SCHEDULE FOR

DEMOLITION FLOOR PLAN LEVEL 1 OVERALL

SCALE: 1/16" = 1'-0"

 \bigcirc N

EXISTING DOOR TO BE DEMOLISHED.

REQUIRED MODIFICATIONS.

KEYNOTE LEGEND

| EXISTING POURED URETHANE FLOOR TO REMAIN. ALTERNATE BID: REMOVAL OF THE EXISTING POURED URETHANE FLOOR DOWN TO THE EXISTING CONCRETE SLAB WILL BE BY THE ABATEMENT CONTRACTOR. |
|--|
| REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION. |

- D3 REMOVE EXISTING PULL OUT LUNCH TABLES AND WALL-MOUNTED STORAGE FRAMES. SALVAGE TO OWNER.

 D4 REMOVE EXISTING OVERHEAD DOOR, FRAME, AND HARDWARE ON LOWER
- D4 REMOVE EXISTING OVERHEAD DOOR, FRAME, AND HARDWARE ON LOWER LEVEL. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION.
- D7 REMOVE EXISTING WALL HANGING ATHLETIC SAFETY MATS. SALVAGE FOR REINSTALLATION. MAINTAIN EXISTING WALL-MOUNTED HANGING HARDWARE

D6 REMOVE EXISTING WALL BASE AT ENTIRE GYM PERIMETER.

D5 REMOVE EXISTING FLOOR RECESSED SLEEVE

- D8 REMOVE EXISTING WALL MOUNTED WALL PADDING. SALVAGE FOR REINSTALLATION
- D10 REMOVE PROTECTIVE CAGES TO ACCOMMODATE PAINTING. SALVAGE FOR REINSTALLATION.
- D11 REMOVE EXISTING HOLLOW METAL DOOR AND ASSOCIATED HARDWARE.
 FRAME TO REMAIN.
- D12 ALTERNATE BID: REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION.

RIDGE NIKES *9



Wight & Company
wightco.com
2500 North Frontage Road
Darien, IL 60561
P 630.969.7000
F 630.969.7979




SUMMER 2024 RENOVATIONS - FIELD ELEMENTARY

707 WISNER ST PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN - FIELD ELEMENTARY

Project Numb 230153-02 Drawn By: WIGHT

AD2.01



BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION WITH ARCHITECT/OWNER. THE OWNER. PRACTICABLE. _-----______ VESTIBULE **VESTIBULE** CONFERENCE PRINCIPAL ASST. PRINCIPAL MEN READING SPRINKLER 109B CLASSROOM CLASSROOM CLASSROOM CLASSROOM CLASSROOM CLASSROOM STAIR CLASSROOM ST3-1 OFFICE ADMIN. 121 123 129 117 119 125 131 MULTIPURPOSE/CAFETERIA WOMEN 113 SMALL GROUP 109D 109E TOILET 109F 133 ST1-1 116 CLASSROOM CLASSROOM CLASSROOM CLASSROOM 122 124 BOYS 130 132 BOYS 128 VESTIBULE 08 08 12 16 ELL 135 122B GYM/CAFETERIA 107 DN 🗕 FE06 \(13 \times 16 \) SPECIAL ED SOCIAL WORK/PSYCH 108 120 PE OFFICE P.E STORAGE KITCHEN 112 138 MUSIC/KITCHEN 105 MULTIPURPOSE ROOM TLT STAGE 146A FE10 **AV STORAGE** 105A KINDERGARTEN 104 SPECIAL ED 103 VESTIBULE 013 INTERVENTION INTERVENTION 101 STAFF TLT JAN/ELEC INTERVENTION 102A 100 INTERVENTION 98 **KINDERGARTEN** 97 TLT 96A **Room** 96 95A KINDERGARTEN 95

1 FLOOR PLAN - LEVEL 1
SCALE: 1/16" = 1'-0"


 $\bigcup_{i \in \mathcal{N}} N_i$

KINDERGARTEN
94

STORAGE 93

GENERAL NOTES

- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- 3. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. 7. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.
- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL. 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO
- 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH
- ATHLETIC FLOORING WORK. 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE DETAILS ON SHEET A8.03.



KEYNOTE LEGEND

ALIGN FACES OF WALL

- PROVIDE DOOR, FRAME, AND HARDWARE. SEE DOOR SCHEDULE. PROVIDE OVERHEAD DOOR ASSEMBLY INCLUDING MOTOR, HOOD, AND METAL GUIDES. VERIFY EXISTING OPENING SIZE IN FIELD. 14 PROVIDE NEW DOOR AND HARDWARE AT REPAIRED FRAME. SEE DETAIL
- 8/A8.03 FOR FRAME REPAIR DETAIL. 15 ALTERNATE BID: PROVIDE DOOR, FRAME, AND HARDWARE. SEE DOOR
- PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.

ISSUE FOR BID DESCRIPTION

Wight & Company

Darien, IL 60561

P 630.969.7000

F 630.969.7979

2500 North Frontage Road

wightco.com

SUMMER 2024 RENOVATIONS - FIELD ELEMENTARY


10/04/2023

707 WISNER ST PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN -FIELD ELEMENTARY

Drawn By: WIGHT

A2.01



EXISTING FLOORING

— FLOOR TRANSITION STRIP

GENERAL NOTES

- ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION).
 ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
 THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK
- 3. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST TO THE OWNER.
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE.

 DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS

 REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER.

 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED, PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH.
- NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL.
 ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- WITH ARCHITECT/OWNER.

 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES.

 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL.
 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE.
 DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT.16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH
- ATHLETIC FLOORING WORK.

 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE DETAILS ON SHEET A8.03.
 19. SEE SHEET G0.02 FOR ADDITIONAL GENERAL NOTES.

EXISTING WALL NEW WALL NEW DOOR. REFER TO SHEET A8.03 FOR DOOR SCHEDULE EXISTING DOOR TO REMAIN. REFER TO SHEET A8.03 FOR DOOR SCHEDULE FOR REQUIRED MODIFICATIONS METAL LOCKER- 5% OF TOTAL PROVIDED QUANTITY SHALL BE ACCESSIBLE. COORDINATE ADA COMPLIANT LOCKER LOCATIONS WITH ARCHITECT/OWNER PRIOR TO PROCUREMENT PARTITION TYPE. REFER TO A8 SERIES

(DIMENSION)

DIMENSION IS CRITICAL. HOLD DIMENSION FACE
TO FACE OF WALL.

+/- (DIMENSION)

DIMENSION IS NOT CRITICAL. WALL PLACED AT REMAINDER OF DIMENSION STRING.

ALUMINUM STOREFRONT/WINDOW TYPE. REFER TO A8 SERIES

DOOR TAG. REFER TO SHEET A8.03 FOR DOOR SCHEDULE

ALIGN —

ALIGN FACES OF WALL

| | STRIPING LEGEND | |
|------------|----------------------------|--|
| A | BOUNDARY STRIPING: RED | |
| B | VOLLEYBALL STRIPING: GREEN | |
| \bigcirc | BASKETBALL STRIPING: BLUE | |
| D | P.E. STRIPING: YELLOW | |
| (E) | P.E. STRIPING: ORANGE | |

NOTE:

- FIELD VERIFY EXISTING STRIPING DIMENSIONS AND STRIPE WIDTHS BEFORE INSTALLATION OF NEW ATHLETIC FLOORING
- VERIFY STRIPING LAYOUTS WITH OWNER
 VERIFY FINAL COLOR SELECTION WITH OWNER

E OOLON GELEO HON WITH OWNE

1 PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING. FIELD VERIFY

KEYNOTE LEGEND

- PROVIDE POURED ATHLETIC FLOOR OVERLAY ASSEMBLY AT EXISTING
 POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED
 ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE A RESILIENT
 SHEET OVERLAY ASSEMBLY AT THE EXISTING POURED URETHANE FLOOR.
 PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER
 LAYER. ALTERNATE BID: PROVIDE FULL-DEPTH POURED URETHANE ATHLETIC
 FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PREP,
 LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB.
 ALTERNATE BID: PROVIDE FULL-DEPTH RESILIENT SHEET ATHLETIC FLOOR
 ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PERP, LEVELING
 COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. SEE SPECIFICATION
 01 2300 ALTERNATES FOR COMPLETE LIST OF ALTERNATES.
- NEW VOLLEYBALL SLEEVE IN EXISTING CORE
 PROVIDE NEW RESILIENT WALL BASE AT ENTIRE GYM PERIMETER.
 REINSTALL EXISTING WALL HANGING ATHLETIC SAFETY MATS.
 REINSTALL EXISTING WALL-MOUNTED WALL PADDING.
- PROVIDE WALL PREP AND EPOXY PAINT AT ENTIRE GYM PERIMETER TO 7'-4"
 A.F.F. (V.I.F. MATCHLINE OF EXISTING ACCENT PAINT LINE). MATCH EXISTING PAINT COLOR.

 REINSTALL EXISTING BULLETIN BOARDS, PROTECTIVE CAGES, AND COVERS.
- PROVIDE ACCESSIBLE FLOOR TRANSITION AT EXISTING DOOR TO REMAIN.
 PREP AND PAINT EXISTING HOLLOW METAL DOOR AND FRAME. INCLUDE CORROSION INHIBITOR APPLICATION WITHIN SURFACE PREP.
 PROVIDE NEW DOOR AND HARDWARE AT REPAIRED FRAME. SEE DETAIL 8/A8.03 FOR FRAME REPAIR DETAIL.
- 8/A8.03 FOR FRAME REPAIR DETAIL.

 16 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.

ISSUE FOR BID
REV DESCRIPTION

Wight & Company

Darien, IL 60561

P 630.969.7000

F 630.969.7979

2500 North Frontage Road

wightco.com

SUMMER 2024 RENOVATIONS - FIELD ELEMENTARY

10/04/2023

707 WISNER ST PARK RIDGE, IL 60068

ENLARGED PLANS & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:

A7.01


DETAIL - ATHLETIC FLOORING OVERLAY

SCALE: 6" = 1'-0"

ENLARGED PLAN - MULTIPURPOSE/CAFETERIA 134

SCALE: 1/8" = 1'-0"

 \bigcirc



SAWCUT AND REMOVE DETERIORATED PORTION OF

BOTH JAMBS

EXISTING FRAME, TYP AT

WELD REPLACEMENT FRAME

PIECE TO EXISTING DOOR

FRAME. GRIND ALL WELDS

SMOOTH, TYP. BOTH JAMBS

CHIP AWAY LIMITED PORTION

TREAT ENTIRE EXISTING AND NEW FRAME PIECE WITH CORROSION INHIBITOR, TYP

PREP, PRIME, AND PAINT ENTIRE DOOR AND FRAME

ACCOMMODATE DOOR LEAF AND HARDWARE, TYP

NOTE: VERIFY AND MATCH

TYPICAL HOLLOW METAL DOOR REPAIR DETAIL

SILL DETAIL - SILL AT NEW ATHLETIC FLOORING

SCALE: 3" = 1'-0"

SCALE: 3" = 1'-0"

HEAD DETAIL - DOOR FE06

EXISTING EXTERIOR WALL

EXISTING STEEL LINTEL

GROUT SOLID

ANCHOR BOLT

AND FRAME

MATCH

HEAD DETAIL - DOOR FE10

JAMB DETAIL - DOOR FE10

SILL DETAIL - DOOR FE10

SCALE: 3" = 1'-0"

SCALE: 3" = 1'-0"

SCALE: 3" = 1'-0"

HOLLOW METAL DOOR

BACKER ROD AND SEALANT

- GROUT SOLID

- ANCHOR BOLT

AND FRAME

EXISTING EXTERIOR WALL

HOLLOW METAL DOOR AND

THRESHOLD SET IN SEALANT

- EXISTING CONCRETE STOOP

EXISTING CONCRETE FLOOR SLAB

HOLLOW METAL DOOR

AROUND PERIMETER OF FRAME

BACKER ROD AND SEALANT AROUND PERIMETER OF FRAME EXACT FRAME PROFILE, DEPTH, AND GAUGE IN FIELD, TYP

> EXISTING EXTERIOR WALL (BEYOND IN VIEW)

HOLLOW METAL DOOR AND

NEW ATHLETIC FLOORING SYSTEM SEE DETAILS ON SHEET A7.01

- EXISTING ATHLETIC FLOORING

THRESHOLD SET IN SEALANT

EXISTING CONCRETE STOOP

- EXISTING CONCRETE FLOOR

OF EXISTING MORTAR FILL TO ALLOW FOR ALIGNMENT

Wight & Company

wightco.com • • • • • • • • • • • • • • • • 2500 North Frontage Road Darien, IL 60561 • • • • • • • • • • • • • • • • • • P 630.969.7000 F 630.969.7979

ISSUE FOR BID DESCRIPTION

SUMMER 2024 RENOVATIONS - FIELD ELEMENTARY

10/04/2023

707 WISNER ST PARK RIDGE, IL 60068

DOOR & WINDOW SCHEDULES & DETAILS

230153-02 Drawn By: WIGHT Sheet:

SUMMER 2024 RENOVATIONS - FRANKLIN ELEMENTARY

PARK RIDGE-NILES SCHOOL DISTRICT 64

2401 MANOR LN PARK RIDGE, IL 60068 230153-02

2023-10-04

ISSUE FOR BID

| | SHEET INDEX |
|----------------|---|
| GENERAL | |
| G0.00 | COVER SHEET - FRANKLIN ELEMENTARY |
| ARCHITECTURAL | DEMOLITION |
| AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - FRANKLIN ELEMENTARY |
| ARCHITECTURAL | |
| A2.01 | LEVEL 1 FLOOR PLAN - FRANKLIN ELEMENTARY |
| A7.01 | ENLARGED PLANS & DETAILS |
| A8.03 | DOOR & WINDOW SCHEDULES & DETAILS |
| Grand total: 5 | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

| ILLINOIS REGISTRATION NO.: | |
|----------------------------|--|
| | |
| DATE: | |

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| SIGNED: |
|----------------------------|
| ARCHITECT/ENGINEER |
| |
| ILLINOIS REGISTRATION NO.: |
| |
| |
| DATE: |


FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| BLUE — WATER GREEN — SEWERS WHITE — SAFE TO DIG | YELLOWREDORANGE | ELECTRICAL |
|---|---|------------|
| | o GREEN | SEWERS |



10/4/2023 12:04:17 PM








SUMMER 2024 RENOVATIONS -FRANKLIN ELEMENTARY

2401 MANOR LN PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN - FRANKLIN **ELEMENTARY**

AD2.01



KEYNOTE LEGEND

FLOOR PLAN LEGEND



GENERAL NOTES



2500 North Frontage Road

Darien, IL 60561 P 630.969.7000 F 630.969.7979

ISSUE FOR BID


SUMMER 2024 RENOVATIONS -FRANKLIN ELEMENTARY

2401 MANOR LN PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN -FRANKLIN ELEMENTARY

Drawn By:

A2.01



- EXISTING FLOORING


FLOOR TRANSITION STRIP

GENERAL NOTES

- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- 8. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT NO ADDITIONAL COST TO THE OWNER.
- 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. . ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- WITH ARCHITECT/OWNER. 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL. 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO
- THE OWNER. 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH ATHLETIC FLOORING WORK.
- 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK DETAILS ON SHEET A8.03.



| | STRIPING LEGEND | | | | | | | | |
|------------|----------------------------|--|--|--|--|--|--|--|--|
| A | BASKETBALL STRIPING: RED | | | | | | | | |
| В | VOLLEYBALL STRIPING: GREEN | | | | | | | | |
| \bigcirc | P.E. STRIPING: BLUE | | | | | | | | |
| | | | | | | | | | |

ALIGN FACES OF WALL

1. FIELD VERIFY EXISTING STRIPING DIMENSIONS AND STRIPE WIDTHS BEFORE INSTALLATION OF NEW ATHLETIC FLOORING 2. VERIFY STRIPING LAYOUTS WITH OWNER

P.E. STRIPING: YELLOW

KEYNOTE LEGEND

3. VERIFY FINAL COLOR SELECTION WITH OWNER

- PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING. FIELD VERIFY ALL TABLE SIZES.
- PROVIDE POURED ATHLETIC FLOOR OVERLAY ASSEMBLY AT EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE A RESILIENT SHEET OVERLAY ASSEMBLY AT THE EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE FULL-DEPTH POURED URETHANE ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB, PROVIDE FLOOR PREP. LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. ALTERNATE BID: PROVIDE FULL-DEPTH RESILIENT SHEET ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PERP, LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. SEE SPECIFICATION 01 2300 - ALTERNATES FOR COMPLETE LIST OF ALTERNATES.
- NEW VOLLEYBALL SLEEVE IN EXISTING CORE 4 PROVIDE NEW RESILIENT WALL BASE AT ENTIRE GYM PERIMETER. REINSTALL EXISTING WALL HANGING ATHLETIC SAFETY MATS.
- REINSTALL EXISTING WALL-MOUNTED WALL PADDING. PROVIDE WALL PREP AND EPOXY PAINT TO 8'-0" A.F.F. (V.I.F. - MATCHLINE OF EXISTING ACCENT PAINT LINE). MATCH EXISTING PAINT COLOR. DO NOT PAINT EXISTING MURAL ON EAST WALL.
- REINSTALL EXISTING BULLETIN BOARDS, PROTECTIVE CAGES, AND COVERS. PROVIDE ACCESSIBLE FLOOR TRANSITION AT EXISTING DOOR TO REMAIN. 10 EXISTING MURAL TO BE PROTECTED IN PLACE WITH HARDBOARD AND PLASTIC SHEET COVERING. DO NOT PAINT. PREP AND PAINT EXISTING HOLLOW METAL DOOR AND FRAME. INCLUDE
- CORROSION INHIBITOR APPLICATION WITHIN SURFACE PREP. NEW HOLLOW METAL DOOR AND HARDWARE IN EXISTING FRAME. REPAIR EXISTING FRAME AND PREP TO RECEIVE NEW HARDWARE. SEE DETAIL 2/A8.03 FOR FRAME REPAIR DETAIL.
- 14 NEW CEILING-MOUNTED DIVIDER CURTAIN. 18 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.



wightco.com 2500 North Frontage Road Darien, IL 60561

P 630.969.7000

F 630.969.7979

ISSUE FOR BID DESCRIPTION

SUMMER 2024 RENOVATIONS -FRANKLIN ELEMENTARY

10/04/2023


2401 MANOR LN PARK RIDGE, IL 60068


ENLARGED PLANS & DETAILS


230153-02 Drawn By: WIGHT


- 1. FIELD VERIFY ALL EXISTING DOOR FRAME OPENINGS TO RECEIVE NEW
- 2. REFER TO THE PROJECT MANUAL FOR DOOR HARDWARE SPECIFICATIONS AND HARDWARE LISTS PER DOOR NUMBER.
- 3. UNLESS NOTED OTHERWISE, PROVIDE 1/4" TEMPERED SAFETY GLAZING AT NON- FIRE RATED DOORS, FIRE RATED SAFETY GLAZING AT FIRE RATED
- DOORS, AND 1-1/16" INSULATED LAMINATED GLAZING AT EXTERIOR DOORS. 4. ALL NEW EXTERIOR HOLLOW METAL DOORS AND FRAMES TO BE GALVANIZED. REFER TO SPECIFICATIONS.
 5. CONTRACTOR TO PATCH STRIKE PLATE OPENINGS IN DOOR FRAMES AT
- REMOVED HARDWARE INCLUDING DEADBOLTS AND LOCKSETS. 6. REFER TO THE FLOOR PLANS FOR EXISTING STORAGE CABINETS TO RECIEVE NEW LOCK CYLINDERS MASTER-KEYED TO THE NEW SYSTEM. THESE CABINETS ARE DESIGNATED BY THE ASSOCIATED FLOOR PLANKEY NOTE ON
- PROVIDED TEMPERED SAFETY GLAZING AT DOOR SIDELIGHTS WITHIN 24" OF DOOR FRAME AND GLASS LITES WITHIN 18" OF WALKING ALONE.


| | | | | | | | DOC | OR SCHEDULE | | | | | | |
|--------|-----------|-------|--------|-----------|----------|--------|------|-------------|--------|----------|----------|--------|----------|---|
| | | | | DOOR | | | | | FRAME | | | | | |
| MARK | ELEVATION | | SIZE | | DET | AIL | | | | DE | ΓAIL | FIRE | HARDWARE | |
| | TYPE | WIDTH | HEIGHT | THICKNESS | MATERIAL | FINISH | TYPE | MATERIAL | FINISH | HEAD | JAMB | RATING | SET | REMARKS |
| | | | _ | | | | | | | | | | | |
| FR05 | FD-C | 6'-2" | 7'-0" | 1 3/4" | HM | PT | - | - | - | - | - | - | 01 | REPLACE DOORS AND HARDWARE ONLY; FRAME TO REMAIN. DOORS: (2) 3'-0" X 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION. |
| FR08 | G2D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S08 | AL | PT | 8/A8.03 | 7/A8.03 | - | AL-3 | ALTERNATE BID; (2) 3'-0"W x 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION |
| FR09 | G2D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S09 | AL | PT | 11/A8.03 | 10/A8.03 | - | AL-1 | ALTERNATE BID; (2) 3'-0"W x 7'-0"H DOORS WITH 2" REMOVABLE CENTER MULLION |
| FR129D | F | 3'-0" | 6'-8" | 1 3/4" | НМ | PT | Т | НМ | PT | 5/A8.03 | 4/A8.03 | - | 02 | ALTERNATE BID: EXTERIOR TOILET ROOM DOOR. PARK DISTRICT ACCESS. |
| FR129E | F | 3'-0" | 6'-8" | 1 3/4" | НМ | PT | Т | НМ | PT | 5/A8.03 | 4/A8.03 | - | 02 | ALTERNATE BID: EXTERIOR TOILET ROOM DOOR. PARK DISTRICT ACCESS. |















- EXISTING GLAZED TILE














9 SILL DETAIL - DOOR FR09
SCALE: 3" = 1'-0"

















ISSUE FOR BID 10/04/2023 DESCRIPTION

SUMMER 2024 RENOVATIONS -FRANKLIN ELEMENTARY

2401 MANOR LN PARK RIDGE, IL 60068

Wight & Company wightco.com

Darien, IL 60561

P 630.969.7000 F 630.969.7979

2500 North Frontage Road

DOOR & WINDOW SCHEDULES & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:

SUMMER 2024 RENOVATIONS - LINCOLN MIDDLE SCHOOL


PARK RIDGE-NILES SCHOOL DISTRICT 64

200 S LINCOLN AVE PARK RIDGE, IL 60068 230153-02

230153-02 2023-10-04

ISSUE FOR BID

| SHEET INDEX | | | | | |
|--------------------------|---|--|--|--|--|
| GENERAL | | | | | |
| | COVER SHEET - LINCOLN MIDDLE SCHOOL | | | | |
| | | | | | |
| ARCHITECTURAL DEMOLITION | | | | | |
| AD2.01 | LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL | | | | |
| | | | | | |
| RCHITECTURAL | | | | | |
| \2.01 | LEVEL 1 FLOOR PLAN - LINCOLN MIDDLE SCHOOL | | | | |
| N8.03 | DOOR & WINDOW SCHEDULES & DETAILS | | | | |
| | | | | | |
| Grand total: 4 | | | | | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: |
|----------------------------|
| |
| |
| ILLINOIS REGISTRATION NO.: |
| LENGIO NEGIO ITA TITON NO |
| |
| DATE. |
| DATE: |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| IGNED: | |
|---------------------|--------------------|
| | ARCHITECT/ENGINEER |
| | |
| LINOIS REGISTRATION | ON NO.: |
| | |
| ATE: | |
| AIC | |


FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| YELLOWREDORANGE | ELECTRICAL |
|---|------------|
| BLUEGREENWHITE | SEWERS |



10/4/2023 12:05:58 PM U:\230153 ParkRidge-Niles Summer 2024 Lincoln\230153 ParkRidge-Nilles Summer 2024 Lincoln ARCH 2023 ND-I



- PROVIDE TEMPORARY STRUCTURAL SUPPORT FOR EXISTING OPENINGS AT ALL DOORS, FRAMES, AND WINDOW ASSEMBLIES TO BE REMOVED.
 SALVAGE ALL DOOR HARDWARE AND ACCESS CONTROL HARDWARE TO
- 3. VERIFY ALL CONDITIONS IN FIELD AND AVOID DAMAGING ADDITIONAL AREAS
- OUTSIDE THE REMOVAL AREA. ANY DAMAGED AREAS SHALL BE REPAIRED OR REPLACED IN KIND TO MATCH EXISTING LEVEL OF FINISH.

 4. PROTECT ALL OTHER OPENINGS AND SPACES FROM DEBRIS AND DAMAGE.
- COORDINATE REMOVAL WORK WITH THE OWNER AND BUILDING OCCUPANTS AS THE EXISTING BUILDING MAY BE OCCUPIED.
- MAINTAIN ALL EXISTING EGRESS PATHS AS MUCH AS POSSIBLE. PROVIDE TEMPORARY DIRECTIONAL SIGNAGE FOR ROUTING OCCUPANTS ALONG ALTERNATE EGRESS PATHS.
- 6. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION EXISTING LIGHTING, ELECTRICAL DEVICES, EXIT SIGNS, ACCESS CONTROL HARDWARE, ETC. TO ACCOMMODATE THE REMOVAL WORK.
- 7. ALL EXISTING HOLLOW METAL DOOR FRAMES TO BE REMOVED ARE GROUT/MORTAR FILLED. CONTRACTOR SHALL PROVIDE REMOVAL AND IS RESPONSIBLE FOR MEANS AND METHODS TO REMOVE THESE AS CLEANLY AS POSSIBLE
- 8. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION ALL WALL MOUNTED PROTECTION DEVICES AND VISUAL DISPLAY BOARDS AT
- GYMNASIUMS RECEIVING FLOORING WORK, TABLE REPLACEMENT, AND PAINTING WORK.

 9. SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING
- SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING MORTAR, CLEAN, AND SALVAGE FOR REINSTALLATION.
 COORDINATE ALL REMOVAL WORK WITH NEW WORK AND OTHER TRADES.

DEMOLITION PLAN LEGEND

EXISTING WALLS TO REMAIN.

EXISTING WALLS TO BE DEMOLISHED.

EXISTING DOOR TO REMAIN. REFER TO DOOR SCHEDULE FOR REQUIRED MODIFICATIONS.



EXISTING DOOR TO BE DEMOLISHED.

KEYNOTE LEGEND


D1 REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION.

D2 REMOVE EXISTING REMOVABLE CENTER MULLION. DOOR AND FRAME TO REMAIN.

D3 REMOVE EXISTING REMOVABLE CENTER MULLION AND HARDWARE. DOOR AND

REMOVE EXISTING REMOVABLE FRAME TO REMAIN.

RIDGE NILES & SCHOOL DISTRICT



F 630.969.7979

DECOM HON


SUMMER 2024 RENOVATIONS -LINCOLN MIDDLE SCHOOL

200 S LINCOLN AVE PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN - LINCOLN MIDDLE SCHOOL


Project Numb 230153-02 Drawn By: WIGHT Sheet:

AD2.01





- BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). . ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING
- THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- . ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED,
- 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA
- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS
- 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO
- 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH
- 7. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION







wightco.com • • • • • • • • • • • • • • • • • • • 2500 North Frontage Road Darien, IL 60561 • • • • • • • • • • • • • • • • • • • P 630.969.7000 F 630.969.7979

ISSUE FOR BID DESCRIPTION


SUMMER 2024 RENOVATIONS -LINCOLN MIDDLE SCHOOL

200 S LINCOLN AVE PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN -LINCOLN MIDDLE SCHOOL

Drawn By: WIGHT

A2.01



FIELD VERIFY ALL EXISTING DOOR FRAME OPENINGS TO RECEIVE NEW

SYMBOL MATERIAL

DESCRIPTION

REMARKS



2500 North Frontage Road Darien, IL 60561 • • • • • • • • • • • • • • • • • • P 630.969.7000

ISSUE FOR BID DESCRIPTION

SUMMER 2024 RENOVATIONS -LINCOLN MIDDLE SCHOOL

10/04/2023

200 S LINCOLN AVE PARK RIDGE, IL 60068

DOOR & WINDOW SCHEDULES & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:

SUMMER 2024 RENOVATIONS - ROOSEVELT ELEMENTARY

PARK RIDGE-NILES SCHOOL DISTRICT 64

1001 S FAIRVIEW AVE PARK RIDGE, IL 60068

230153-02 2023-10-04

ISSUE FOR BID

| | SHEET INDEX | |
|--------|--|--|
| IERAL | | |
| 00 | COVER SHEET - ROOSEVELT ELEMENTARY | |
| | | |
| HITECT | URAL DEMOLITION | |
| .01 | LEVEL 1 DEMOLITION FLOOR PLAN - ROOSEVELT ELEMENTARY | |
| | | |
| HITECT | URAL | |
| 1 | LEVEL 1 FLOOR PLAN - ROOSEVELT ELEMENTARY | |
| 1 | ENLARGED PLANS & DETAILS | |
| 3 | DOOR & WINDOW SCHEDULES & DETAILS | |
| 4 | DOOR DETAILS | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: |
|----------------------------|
| |
| |
| ILLINOIS REGISTRATION NO.: |
| ILLINOID REGIONATION NO.: |
| |
| DATE. |
| DATE: |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.


| SIGNED: | | | | |
|----------------------------|--|--|--|--|
| ARCHITECT/ENGINEER | | | | |
| | | | | |
| ILLINOIS REGISTRATION NO.: | | | | |
| | | | | |
| | | | | |
| DATE: | | | | |

FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123 JULIE SUBURBS & DIGG CHICAGO

| —— GAS |
|--------------------------|
| ELECTRICAL |
| PHONE / TV COMMUNICATION |
| WATER |
| SEWERS |
| SAFE TO DIG |
| |
| |





ISSUE FOR BID
REV DESCRIF

DEMOLITION FLOOR PLAN - LEVEL 1

SCALE: 1/16" = 1'-0"


SUMMER 2024 RENOVATIONS -ROOSEVELT ELEMENTARY


1001 S FAIRVIEW AVE PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN -ROOSEVELT ELEMENTARY

Project Numb 230153-02 Drawn By: WIGHT Sheet:

AD2.01






- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- 3. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. '. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION
- WITH ARCHITECT/OWNER. 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.
- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED. 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO

OWNER PRIOR TO DISPOSAL.

- 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER. 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE.
- 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH ATHLETIC FLOORING WORK.
- 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.



 \bigcirc





2500 North Frontage Road Darien, IL 60561 • • • • • • • • • • • • • • • • • • P 630.969.7000 F 630.969.7979

ISSUE FOR BID DESCRIPTION


SUMMER 2024 RENOVATIONS -ROOSEVELT ELEMENTARY

10/04/2023

1001 S FAIRVIEW AVE PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN -**ROOSEVELT ELEMENTARY**

A2.01



EXISTING FLOORING


FLOOR TRANSITION STRIP

GENERAL NOTES

- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- . THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. . ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- WITH ARCHITECT/OWNER. 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.
- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL. 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER.
- 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS
- PRACTICABLE. 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH
- ATHLETIC FLOORING WORK. 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE DETAILS ON SHEET A8.03.



VOLLEYBALL STRIPING: GREEN P.E. STRIPING: BLUE P.E. STRIPING: YELLOW

STRIPING LEGEND

BASKETBALL STRIPING: RED

1. FIELD VERIFY EXISTING STRIPING DIMENSIONS AND STRIPE WIDTHS BEFORE INSTALLATION OF NEW ATHLETIC FLOORING 2. VERIFY STRIPING LAYOUTS WITH OWNER . VERIFY FINAL COLOR SELECTION WITH OWNER

KEYNOTE LEGEND

- PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING. FIELD VERIFY
- PROVIDE POURED ATHLETIC FLOOR OVERLAY ASSEMBLY AT EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE A RESILIENT SHEET OVERLAY ASSEMBLY AT THE EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE FULL-DEPTH POURED URETHANE ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PREP, LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. ALTERNATE BID: PROVIDE FULL-DEPTH RESILIENT SHEET ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PERP, LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. SEE SPECIFICATION 01 2300 - ALTERNATES FOR COMPLETE LIST OF ALTERNATES.
- NEW VOLLEYBALL SLEEVE IN EXISTING CORE PROVIDE NEW RESILIENT WALL BASE AT ENTIRE GYM PERIMETER. REINSTALL EXISTING WALL HANGING ATHLETIC SAFETY MATS. REINSTALL EXISTING WALL-MOUNTED WALL PADDING. 9 PROVIDE WALL PREP AND EPOXY PAINT AT ENTIRE GYM PERIMETER TO 7'-4"
- A.F.F. (V.I.F. MATCHLINE OF EXISTING ACCENT PAINT LINE). MATCH EXISTING REINSTALL EXISTING BULLETIN BOARDS, PROTECTIVE CAGES, AND COVERS.
- 1 PROVIDE ACCESSIBLE FLOOR TRANSITION AT EXISTING DOOR TO REMAIN. 12 PREP AND PAINT EXISTING HOLLOW METAL DOOR AND FRAME. INCLUDE CORROSION INHIBITOR APPLICATION WITHIN SURFACE PREP. PROVIDE DOOR, FRAME, AND HARDWARE. SEE DOOR SCHEDULE
- 15 ALTERNATE BID: PROVIDE NEW ALUMINUM FRAMED FRP DOOR AND HARDWARE.

ENLARGED PLANS & PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR. **DETAILS**

> 230153-02 Drawn By: WIGHT

ISSUE FOR BID

SUMMER 2024

ROOSEVELT

ELEMENTARY

1001 S FAIRVIEW AVE

PARK RIDGE, IL 60068

RENOVATIONS -

DESCRIPTION

10/04/2023

Wight & Company wightco.com

2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979

FIELD VERIFY ALL EXISTING DOOR FRAME OPENINGS TO RECEIVE NEW REFER TO THE PROJECT MANUAL FOR DOOR HARDWARE SPECIFICATIONS

SIZE SCHEDULE

G1D-C

MATCH

MATCH

EXISTING

- AND HARDWARE LISTS PER DOOR NUMBER. 3. UNLESS NOTED OTHERWISE, PROVIDE 1/4" TEMPERED SAFETY GLAZING AT NON- FIRE RATED DOORS, FIRE RATED SAFETY GLAZING AT FIRE RATED
- DOORS, AND 1-1/16" INSULATED LAMINTED GLAZING AT EXTERIOR DOORS.
- 4. ALL NEW EXTERIOR HOLLOW METAL DOORS AND FRAMES TO BE GALVANIZED. REFER TO SPECIFICATIONS.

SEE DOOR

SIZE SCHEDULE

LEGEND - DOOR ELEVATION

EXISTING CONCRETE WALL

BACKER ROD AND SEALANT
AROUND PERIMETER OF FRAME

EXISTING CONCRETE WALL

BACKER ROD AND SEALANT

- EXISTING FLOOR SLAB

AROUND PERIMETER OF FRAME

HOLLOW METAL DOOR AND

ANCHOR BOLT


GROUT SOLID

5. CONTRACTOR TO PATCH STRIKE PLATE OPENINGS IN DOOR FRAMES AT REMOVED HARDWARE INCLUDING DEADBOLTS AND LOCKSETS. 6. PROVIDED TEMPERED SAFETY GLAZING AT DOOR SIDELIGHTS WITHIN 24" OF DOOR FRAME AND GLASS LITES WITHIN 18" OF WALKING ALONE.



P 630.969.7000 F 630.969.7979


| | | | | | | | DOC | R SCHEDULE | | | | | | |
|------|------------------|-------|--------|-----------|----------|--------|------|------------|--------|---------|---------|------------|----------|--|
| | K ELEVATION TYPE | DOOR | | | | | | FRAME | | | | | | |
| MARK | | SIZE | | | DETAIL | | | | | DETAIL | | FIRE | HARDWARE | |
| | | WIDTH | HEIGHT | THICKNESS | MATERIAL | FINISH | TYPE | MATERIAL | FINISH | HEAD | JAMB | AMB RATING | SET | REMARKS |
| R01 | G1D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S01 | AL | PT | 3/A8.04 | 2/A8.04 | - | | ALTERNATE BID; (2) 3'-0"W x 7'-0"H DOORS WITH 2" REMOVABLE CENTER MULLION |
| R02 | G2D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S02 | AL | PT | 4/A8.04 | 2/A8.04 | - | | ALTERNATE BID; (2) 3'-0"W x 7'-0"H DOORS WITH 2" REMOVABLE CENTER MULLION |
| R07 | F | 3'-6" | 7'-0" | 1 3/4" | HM | PT | Α | HM | PT | 3/A8.03 | 2/A8.03 | - | 02 | |
| R08 | G2D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S08 | AL | PT | 6/A8.04 | 5/A8.04 | - | | ALTERNATE BID; (2) 3'-0"W x 7'-0"H DOORS WITH 2" REMOVABLE CENTER MULLION |
| R09 | RU | 5'-6" | 6'-8" | 1 3/4" | STL | PT | OHC | STL | PT | 9/A8.03 | 8/A8.03 | - | 05 | NON-MOTORIZED PUSH UP DOOR |
| R12 | F | 3'-0" | 7'-0" | 1 3/4" | AL | PT | В | FRP | - | 6/A8.03 | 5/A8.03 | - | 02 | ALTERNATE BID |
| R13 | F | 3'-0" | 7'-0" | 1 3/4" | AL | PT | В | FRP | - | 6/A8.03 | 5/A8.03 | - | 02 | |





REMOVE EXISTING HOLLOW


METAL FRAME





















SILL DETAIL - DOORS R12 & R13

SCALE: 3" = 1'-0"

JAMB DETAIL - DOORS R12 & R13

SCALE: 3" = 1'-0"



SILL DETAIL - DOOR R07

SCALE: 3" = 1'-0"


ISSUE FOR BID 10/04/2023 DESCRIPTION

SUMMER 2024 RENOVATIONS -ROOSEVELT ELEMENTARY

1001 S FAIRVIEW AVE PARK RIDGE, IL 60068

DOOR & WINDOW SCHEDULES & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:



HEAD DETAIL SCALE: 3" = 1'-0" HEAD DETAIL - DOOR R02 (ALT BID)

SAWCUT AND REMOVE

BOTH JAMBS

DETERIORATED PORTION OF EXISTING FRAME, TYP AT

WELD REPLACEMENT FRAME

CHIP AWAY LIMITED PORTION OF EXISTING MORTAR FILL TO ALLOW FOR ALIGNMENT

TREAT ENTIRE EXISTING AND

NEW FRAME PIECE WITH CORROSION INHIBITOR, TYP

PREP, PRIME, AND PAINT ENTIRE DOOR AND FRAME

ACCOMMODATE DOOR LEAF AND HARDWARE, TYP

NOTE: VERIFY AND MATCH EXACT FRAME PROFILE, DEPTH, AND GAUGE IN FIELD, TYP

- EXISTING FACE BRICK

EXISTING EXTERIOR WALL

EXISTING STEEL LINTEL

BACKER ROD AND SEALANT AROUND PERIMETER OF FRAME

- SHIM, AS REQUIRED

CEILING

EXISTING LEVEL

REPLACEMENT

EXISTING FACE BRICK

- SHIM, AS REQUIRED

BACKER ROD AND SEALANT AROUND PERIMETER OF FRAME

- EXISTING EXTERIOR WALL

- ALUMINUM STOREFRONT ENTRANCE SYSTEM

ALUMINUM STOREFRONT ENTRANCE SYSTEM

SPANDREL PANEL ABOVE

MINERAL WOOL INSULATION

- METAL BACKPAN SEALED TO

1 5/8" METAL STUD FRAMING @ 16"
 O.C. TO MAINTAIN CEILING AT

REPLACE PORTION OF GYP BOARD AND METAL FRAMING AS A RESULT OF ALUMINUM ENTRANCE

7 TYPICAL HOLLOW METAL DOOR REPAIR DETAIL

SCALE: 3" = 1'-0"


6 HEAD DETAIL - DOOR R08 (ALT BID)


SCALE: 3" = 1'-0"

JAMB DETAIL - DOOR R08 (ALT BID)


SCALE: 3" = 1'-0"

PIECE TO EXISTING DOOR FRAME. GRIND ALL WELDS SMOOTH, TYP. BOTH JAMBS







JAMB DETAIL - DOOR R01 (ALT BID) SCALE: 3" = 1'-0"









SILL DETAIL - STOREFRONT ENTRANCE DOORS

SCALE: 3" = 1'-0"

Wight & Company wightco.com 2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979

Project Number:

ISSUE FOR BID

SUMMER 2024

ROOSEVELT

ELEMENTARY

1001 S FAIRVIEW AVE PARK RIDGE, IL 60068

DOOR DETAILS

RENOVATIONS -

DESCRIPTION

10/04/2023

SUMMER 2024 RENOVATIONS - WASHINGTON ELEMENTARY

PARK RIDGE-NILES SCHOOL DISTRICT 64

1500 W STEWART AVE PARK RIDGE, IL 60068

230153-02 2023-10-04

ISSUE FOR BID

| SHEET INDEX | | | | | |
|---|---|--|--|--|--|
| | | | | | |
| COVER SHEET - WASHINGTON ELEMENTARY | | | | | |
| | | | | | |
| ARCHITECTURAL DEMOLITION | | | | | |
| LEVEL 1 DEMOLITION FLOOR PLAN - WASHINGTON ELEMENTARY | | | | | |
| | | | | | |
| URAL | | | | | |
| LEVEL 1 FLOOR PLAN - WASHINGTON ELEMENTARY | | | | | |
| ENLARGED PLANS & DETAILS | | | | | |
| DOOR & WINDOW SCHEDULES & DETAILS | | | | | |
| · | | | | | |
| | | | | | |
| | JRAL DEMOLITION LEVEL 1 DEMOLITION FLOOR PLAN - WASHINGTON ELEMENTARY JRAL LEVEL 1 FLOOR PLAN - WASHINGTON ELEMENTARY ENLARGED PLANS & DETAILS DOOR & WINDOW SCHEDULES & DETAILS | | | | |



ILLINOIS ENERGY CONSERVATION CODE STATEMENT OF COMPLIANCE

I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE REQUIREMENTS OF THE 2015 ILLINOIS ENERGY CONSERVATION CODE

| SIGNED: |
|----------------------------|
| |
| ILLINOIS DECISTRATION NO . |
| ILLINOIS REGISTRATION NO.: |
| |
| DATE: |

ARCHITECT

SEAL & SIGNATURE APPLY TO GENERAL AND ARCHITECTURAL SHEETS INDICATED ON G0.01 SHEET AS G, A-SERIES, AND INCLUDED IN THE PERMIT DOCUMENTS.

| SIGNED: | |
|---------------------------|--|
| | |
| | |
| LLINOIS REGISTRATION NO.: | |
| | |
| | |

STATEMENT OF COMPLIANCE


I HAVE PREPARED OR CAUSED TO BE PREPARED UNDER MY DIRECT SUPERVISION, THE ATTACHED PLANS AND SPECIFICATIONS AND STATE THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF AND TO THE EXTENT OF MY CONTRACTUAL OBLIGATION, THEY ARE IN COMPLIANCE WITH THE ENVIRONMENTAL BARRIERS ACT (IL. REV. STAT. 1985, CH. 111 1/2, PARS. 3711 ET SEQ AS AMENDED) AND THE ILLINOIS ACCESSIBILITY CODE, 71 IL ADM. CODE 400.

| NED: |
|-------------------------|
| ARCHITECT/ENGINEER |
| |
| NOIS REGISTRATION NO.: |
| Mole Region Willewitten |
| |
| -E: |
| |


FOR UNDERGROUND UTILITY LOCATIONS, CALL J.U.L.I.E.

TOLL FREE TEL. 1-800-892-0123
JULIE SUBURBS & DIGG CHICAGO

| YELLOWREDORANGE | ELECTRICAL |
|---|------------|
| BLUEGREENWHITE | SEWERS |



10/4/2023 12:08:52 PM U:\230153 ParkRidge-Niles Summer 2024 Washington\230153 ParkRidge-Nilles Summer 2024 Washington ARCH 2023 ND



- 1. PROVIDE TEMPORARY STRUCTURAL SUPPORT FOR EXISTING OPENINGS AT ALL DOORS, FRAMES, AND WINDOW ASSEMBLIES TO BE REMOVED. 2. SALVAGE ALL DOOR HARDWARE AND ACCESS CONTROL HARDWARE TO
- 3. VERIFY ALL CONDITIONS IN FIELD AND AVOID DAMAGING ADDITIONAL AREAS OUTSIDE THE REMOVAL AREA. ANY DAMAGED AREAS SHALL BE REPAIRED OR
- REPLACED IN KIND TO MATCH EXISTING LEVEL OF FINISH. 4. PROTECT ALL OTHER OPENINGS AND SPACES FROM DEBRIS AND DAMAGE.
- COORDINATE REMOVAL WORK WITH THE OWNER AND BUILDING OCCUPANTS AS THE EXISTING BUILDING MAY BE OCCUPIED. 5. MAINTAIN ALL EXISTING EGRESS PATHS AS MUCH AS POSSIBLE. PROVIDE
- TEMPORARY DIRECTIONAL SIGNAGE FOR ROUTING OCCUPANTS ALONG ALTERNATE EGRESS PATHS. 6. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION EXISTING
- LIGHTING, ELECTRICAL DEVICES, EXIT SIGNS, ACCESS CONTROL HARDWARE, ETC. TO ACCOMMODATE THE REMOVAL WORK. . ALL EXISTING HOLLOW METAL DOOR FRAMES TO BE REMOVED ARE GROUT/MORTAR FILLED. CONTRACTOR SHALL PROVIDE REMOVAL AND IS
- RESPONSIBLE FOR MEANS AND METHODS TO REMOVE THESE AS CLEANLY AS POSSIBLE. 8. DISCONNECT, REMOVE, AND SALVAGE FOR REINSTALLATION ALL WALL MOUNTED PROTECTION DEVICES AND VISUAL DISPLAY BOARDS AT
- GYMNASIUMS RECEIVING FLOORING WORK, TABLE REPLACEMENT, AND PAINTING WORK.

9. SALVAGE AS MUCH EXISTING MASONRY AS POSSIBLE. REMOVE EXISTING MORTAR, CLEAN, AND SALVAGE FOR REINSTALLATION. 10. COORDINATE ALL REMOVAL WORK WITH NEW WORK AND OTHER TRADES.

> DEMOLITION PLAN LEGEND EXISTING WALLS TO REMAIN.

====

EXISTING DOOR TO REMAIN. REFER TO DOOR SCHEDULE FOR REQUIRED MODIFICATIONS.

EXISTING DOOR TO BE DEMOLISHED.

EXISTING WALLS TO BE DEMOLISHED.

KEYNOTE LEGEND

- D1 EXISTING POURED URETHANE FLOOR TO REMAIN. ALTERNATE BID: REMOVAL OF THE EXISTING POURED URETHANE FLOOR DOWN TO THE EXISTING CONCRETE SLAB WILL BE BY THE ABATEMENT CONTRACTOR.
- REMOVE EXISTING DOOR, FRAME, AND HARDWARE. SALVAGE TO OWNER. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR REINSTALLATION.
- D3 REMOVE EXISTING PULL OUT LUNCH TABLES AND WALL-MOUNTED STORAGE FRAMES. SALVAGE TO OWNER. D4 REMOVE EXISTING DOOR AND HARDWARE. FRAME TO REMAIN. REMOVE EXISTING ACCESS CONTROL AND SECURITY HARDWARE. SALVAGE FOR
- D5 REMOVE EXISTING REMOVABLE CENTER MULLION. DOOR AND FRAME TO
- D6 REMOVE EXISTING LOADING DOCK BUMPER REMOVE EXISTING FLOOR RECESSED SLEEVE.
- D8 REMOVE EXISTING GYPSUM BOARD CEILING, ASSOCIATED TRIM, AND ACCESSORIES AT VESTIBULE TO ACCOMMODATE OPENING REPLACEMENT.
- D9 REMOVE EXISTING WALL HANGING ATHLETIC SAFETY MATS. SALVAGE FOR REINSTALLATION. MAINTAIN EXISTING WALL-MOUNTED HANGING HARDWARE
- D10 REMOVE EXISTING WALL MOUNTED WALL PADDING. SALVAGE FOR REINSTALLATION
- D11 REMOVE EXISTING THRESHOLD AT EXISTING DOOR TO REMAIN
 D12 REMOVE ACOUSTICAL PANELS AND PROTECTIVE DEVICE COVERINGS TO ACCOMMODATE PAINTING. SALVAGE FOR REINSTALLATION.
 D13 REMOVE EXISTING WALL BASE AT ENTIRE GYM PERIMETER.





Wight & Company wightco.com • • • • • • • • • • • • • • • • • •

2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979


SUMMER 2024 RENOVATIONS -WASHINGTON **ELEMENTARY**

1500 W STEWART AVE PARK RIDGE, IL 60068

LEVEL 1 DEMOLITION FLOOR PLAN -WASHINGTON **ELEMENTARY**

Drawn By: WIGHT

AD2.01



- ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION).
 ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
 THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK.
- 3. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST TO THE OWNER.
- TO THE OWNER.

 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE.

 DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS

 REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER.

 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH.

 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL.

 7. ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- WITH ARCHITECT/OWNER.

 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES.


 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED.
- ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO OWNER PRIOR TO DISPOSAL.
 ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO

THE OWNER.

- ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE.
 DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT.
 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH ATHLETIC FLOORING WORK.
- 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE DETAILS ON SHEET A8.03.



KEYNOTE LEGEND

19 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.

PROVIDE SURFACE MOUNTED LOADING DOCK BUMPER ON EXISTING LOADING

15 PROVIDE DOOR, FRAME, AND HARDWARE. SEE DOOR SCHEDULE.

DOCK. SEE SPEC SECTION 11 1313.





wight a Company
wightco.com
2500 North Frontage Road
Darien, IL 60561
P 630.969.7000

F 630.969.7979

ISSUE FOR BID
REV DESCRIPTION

SUMMER 2024 RENOVATIONS -WASHINGTON ELEMENTARY

1500 W STEWART AVE PARK RIDGE, IL 60068

LEVEL 1 FLOOR PLAN - WASHINGTON ELEMENTARY

Project Num
230153-02
Drawn By:
WIGHT
Sheet:

A2.01

DETAIL - ATHLETIC FLOORING OVERLAY

GENERAL NOTES

- 1. ALL ITEMS THAT ARE TO BE REMOVED AND REINSTALLED OR SAVED ARE TO BE TAGGED AND CAREFULLY STORED (SEE OWNER FOR LOCATION). 2. ALL AREAS AFFECTED BY DEMOLITION TO BE PATCHED, REPAIRED, & LEVELED TO MATCH EXISTING ADJACENT SURFACE (MATCH EXISTING CONDITION AT DOOR JAMBS) VERIFY IN FIELD. TOOTH-IN MASONRY TO MATCH EXISTING COURSING AND CONDITION.
- 8. THE CONSTRUCTION DOCUMENTS INDICATE THE OVERALL AREAS OF WORK. INCIDENTAL WORK ASSOCIATED BUT NOT SHOWN ON THE CONSTRUCTION DOCUMENTS MAY BE REQUIRED OUTSIDE THE PROJECT AREAS. THIS WORK IS PART OF THE CONSTRUCTION CONTRACT AND IS TO BE COMPLETED IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITINOAL COST
- 4. ALL ITEMS INDICATED TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DAMAGED ITEMS ARE TO BE PATCHED & REPAIRED OR REPLACED AS REQUIRED TO MATCH ADJACENT LEVEL OF FINISH AND CONSTRUCTION, AT
- NO ADDITIONAL COST TO THE OWNER. 5. WHEN THE REMOVAL OF EXISTING SURFACE MATERIAL IS REQUIRED TO COMPLETE CONTRACT WORK AND A NEW FINISH IS NOT SCHEDULED,
- PATCH/REPAIR AND PRIME THE AFFECTED SURFACE TO RECEIVE NEW FINISH. 6. NEW SLEEVES AND OPENINGS IN THE EXISTING FLOOR, WALL & CEILING CONSTRUCTION ARE TO BE SEALED WITH FIRE SAFETY MATERIAL. . ALL MISC. ITEMS (CHALKBOARDS, PENCIL SHARPENERS, ETC.) THAT INTERFERE WITH THE COMPLETION OF CONTRACT WORK BUT ARE NOT SHOWN TO BE REMOVED ARE TO BE REMOVED, STORED, AND REINSTALLED, AT NO ADDITIONAL COST TO THE OWNER. IN THE EVENT THAT ITEMS CANNOT
- WITH ARCHITECT/OWNER. 8. U.N.O. CONTRACTOR TO REMOVE EXISTING FLOORING AND BASE AS REQUIRED TO ACCOMMODATE DOOR ASSEMBLIES. PATCH/REPAIR AS
- NECESSARY TO MATCH ADJACENT SURFACES. 9. REFER TO SHEET G0.02 FOR TYPICAL FIXUTRE MOUNTING HEIGHTS AND ADA COMPLAINT PLANS, ELEVATIONS, AND DETAILS.

BE REINSTALLED IN ITS ORIGINAL LOCATION COORDINATE NEW LOCATION

- 10. UPON REMOVAL OF DOORS, SHORE OPENINGS AS REQUIRED. SECURE ALL NEW FRAMES PER MANUFACTURERS RECOMMENDATIONS. PROVIDE LINTELS AS REQUIRED. 11. ON DOORS THAT ARE TO BE REMOVED RETURN ALL DOOR HARDWARE TO
- OWNER PRIOR TO DISPOSAL. 12. ALL ELECTRICAL DEVICES & ASSEMBLIES BEING AFFECTED BY DEMO OF DOORS TO BE REINSTALLED AND RECONNECTED AT NO ADDITIONAL COST TO THE OWNER.
- 13. ALL DIMENSIONS ARE TO OUTSIDE FACE OF WALL MATERIAL (GYPSUM BOARD OR MASONRY) UNLESS NOTED OTHERWISE. 14. DISCONNECT AND RESTORE OR MAINTAIN EXISTING ACCESS CONTROL FUNCTIONALITY AND HARDWARE, DEVICES, ETC. PROVIDE NEW APPROVED RACEWAY TO ACCOMMODATE OPENINGS. CONCEAL ROUTING OF POWER AS PRACTICABLE.
- 15. FILL ALL NEW HOLLOW METAL DOOR FRAMES WITH GROUT. 16. PREP, PRIME, AND PAINT ALL NEW HOLLOW METAL DOORS AND FRAMES AND ALL NEW AND EXISTING HOLLOW METAL OPENINGS IN GYMNASIUMS WITH ATHLETIC FLOORING WORK.
- 17. PROVIDE REMOVABLE MULLIONS AT OPENINGS AS INDICATED. PREP, PRIME, AND PAINT EXISTING HOLLOW METAL DOORS AND FRAMES THAT RECEIVE NEW MULLIONS AND HARDWARE. VERIFY SIZES AND CONNECTION REQUIREMENTS IN FIELD.
- 18. PROVIDE METAL FRAMING TO SUPPORT GYPSUM BOARD CEILING WORK DETAILS ON SHEET A8.03.

AFFECTED BY ALUMINUM ENTRANCE REPLACEMENTS IN VESTIBULES. SEE 19. SEE SHEET G0.02 FOR ADDITIONAL GENERAL NOTES. FLOOR PLAN LEGEND **EXISTING WALL** NEW WALL NEW DOOR. REFER TO SHEET A8.03 FOR DOOR SCHEDULE EXISTING DOOR TO REMAIN. REFER TO SHEET A8.03 FOR DOOR SCHEDULE FOR REQUIRED MODIFICATIONS METAL LOCKER- 5% OF TOTAL PROVIDED QUANTITY SHALL BE ACCESSIBLE. COORDINATE ADA COMPLIANT LOCKER LOCATIONS WITH ARCHITECT/OWNER PRIOR TO PROCUREMENT 2222X PARTITION TYPE. REFER TO A8 SERIES ALUMINUM STOREFRONT/WINDOW TYPE. REFER TO A8 SERIES DOOR TAG. REFER TO SHEET A8.03 FOR DOOR SCHEDULE DIMENSION IS CRITICAL. HOLD DIMENSION FACE TO FACE OF WALL. HOLD DIMENSION IS NOT CRITICAL. WALL PLACED AT REMAINDER OF DIMENSION STRING.

> STRIPING LEGEND BASKETBALL STRIPING: RED VOLLEYBALL STRIPING: GREEN

ALIGN FACES OF WALL

P.E. STRIPING: BLUE P.E. STRIPING: YELLOW

1. FIELD VERIFY EXISTING STRIPING DIMENSIONS AND STRIPE WIDTHS BEFORE INSTALLATION OF NEW ATHLETIC FLOORING 2. VERIFY STRIPING LAYOUTS WITH OWNER 3. VERIFY FINAL COLOR SELECTION WITH OWNER

KEYNOTE LEGEND PROVIDE PULL-OUT LUNCH TABLES, HARDWARE, AND ASSOCIATED WALL-MOUNTED METAL STORAGE SYSTEM TO MATCH EXISTING. FIELD VERIFY

PROVIDE POURED ATHLETIC FLOOR OVERLAY ASSEMBLY AT EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVE ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE A RESILIENT SHEET OVERLAY ASSEMBLY AT THE EXISTING POURED URETHANE FLOOR. PROVIDE FLOORING MANUFACTURER-APPROVED ENCAPSULATION BARRIER LAYER. ALTERNATE BID: PROVIDE FULL-DEPTH POURED URETHANE ATHLETIC FLOOR ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PREP. LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. ALTERNATE BID: PROVIDE FULL-DEPTH RESILIENT SHEET ATHLETIC FLOOR |ASSEMBLY ON EXISTING CONCRETE SLAB. PROVIDE FLOOR PERP, LEVELING COMPOUND, AND MOISTURE BARRIER AT EXISTING SLAB. SEE SPECIFICATION

01 2300 - ALTERNATES FOR COMPLETE LIST OF ALTERNATES. PROVIDE DOOR AND HARDWARE AT EXISTING FRAME TO REMAIN. REINSTALL EXISTING ACCESS CONTROL AND SECURITY HARDWARE. REPAIR FRAME. SEE DETAIL 8/A8.03 FOR FRAME REPAIR DETAIL.

4 NEW REMOVABLE CENTER MULLION IN EXISTING HOLLOW METAL FRAME NEW VOLLEYBALL SLEEVE IN EXISTING CORE PROVIDE NEW RESILIENT WALL BASE AT ENTIRE GYM PERIMETER. REINSTALL EXISTING WALL HANGING ATHLETIC SAFETY MATS.

ALL TABLE SIZES.

ENLARGED PLAN - GYM/CAFETERIA 119

) SCALE: 1/8" = 1'-0"

- REINSTALL EXISTING WALL-MOUNTED WALL PADDING. PROVIDE WALL PREP AND EPOXY PAINT AT ENTIRE GYM PERIMETER TO 16'-0' A.F.F. (V.I.F. - MATCHLINE OF EXISTING ACCENT PAINT LINE). MATCH EXISTING
- REINSTALL EXISTING ACOUSTICAL PANELS, PROTECTIVE CAGES, AND 12 PROVIDE ACCESSIBLE FLOOR TRANSITION AT EXISTING DOOR TO REMAIN.
- PREP AND PAINT EXISTING HOLLOW METAL DOOR AND FRAME. INCLUDE CORROSION INHIBITOR APPLICATION WITHIN SURFACE PREP. 14 PROVIDE ALUMINUM ENTRANCE SYSTEM WITH DOORS, FRAME, HARDWARE, ACCESS CONTROL, AND SECURITY HARDWARE. SEE DOOR SCHEDULE. 17 FILL VOIDS IN CONCRETE SLAB FOLLOWING REMOVAL OF EXISTING DOOR AN
- ASSOCIATED PIVOT HINGES. 19 PROVIDE DECAL SIGNAGE ON EXTERIOR FACE OF DOOR. MATCH EXISTING DECAL SIGNAGE SIZE, TYPE, AND COLOR.



2500 North Frontage Road Darien, IL 60561 P 630.969.7000 F 630.969.7979

> ISSUE FOR BID DESCRIPTION

SUMMER 2024 RENOVATIONS -WASHINGTON **ELEMENTARY**

1500 W STEWART AVE PARK RIDGE, IL 60068

ENLARGED PLANS & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:


- 1. FIELD VERIFY ALL EXISTING DOOR FRAME OPENINGS TO RECEIVE NEW 2. REFER TO THE PROJECT MANUAL FOR DOOR HARDWARE SPECIFICATIONS
- AND HARDWARE LISTS PER DOOR NUMBER. 3. UNLESS NOTED OTHERWISE, PROVIDE 1/4" TEMPERED SAFETY GLAZING AT
- NON- FIRE RATED DOORS, FIRE RATED SAFETY GLAZING AT FIRE RATED DOORS, AND 1-1/16" INSULATED LAMINATED GLAZING AT EXTERIOR DOORS.
- 4. ALL NEW EXTERIOR HOLLOW METAL DOORS AND FRAMES TO BE GALVANIZED. REFER TO SPECIFICATIONS.

SEE DOOR

SIZE SCHEDULE

- 5. CONTRACTOR TO PATCH STRIKE PLATE OPENINGS IN DOOR FRAMES AT REMOVED HARDWARE INCLUDING DEADBOLTS AND LOCKSETS.
- 6. PROVIDED TEMPERED SAFETY GLAZING AT DOOR SIDELIGHTS WITHIN 24" OF DOOR FRAME AND GLASS LITES WITHIN 18" OF WALKING ALONE.

| | DOOR SCHEDULE | | | | | | | | | | | | | |
|------|---------------|-------|--------|-----------|----------|--------|------|----------|--------|---------|---------|--------|----------|--|
| | | | | DOOR | | | | | FRAME | | | | | |
| MARK | ELEVATION | | SIZE | | DET | AIL | | | | DET | ΓAIL | FIRE | HARDWARE | |
| | TYPE | WIDTH | HEIGHT | THICKNESS | MATERIAL | FINISH | TYPE | MATERIAL | FINISH | HEAD | JAMB | RATING | SET | REMARKS |
| | | | | | | | | | | | | | | |
| W04 | G2D-C | 6'-0" | 7'-0" | 1 3/4" | AL | PT | S04 | AL | PT | 7/A8.03 | 6/A8.03 | - | AL-1 | (2) 3'-0" X 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION |
| W04A | - | 6'-0" | 7'-0" | 1 3/4" | - | - | - | - | - | - | - | - | 06 | NEW REMOVABLE CENTER MULLION IN EXISTING FRAME |
| W04B | - | 6'-0" | 7'-0" | 1 3/4" | - | - | - | - | - | - | - | - | 06 | NEW REMOVABLE CENTER MULLION IN EXISTING FRAME |
| W05 | FD-C | 6'-2" | 7'-0" | 1 3/4" | НМ | PT | - | - | - | - | - | - | 03 | REPLACE DOORS AND HARDWARE ONLY; FRAME TO REMAIN. DOORS: (2) 3'-0" X 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION. |
| W06 | FD-C | 6'-2" | 7'-0" | 1 3/4" | НМ | PT | - | - | - | | - | - | 03 | REPLACE DOORS AND HARDWARE ONLY; FRAME TO REMAIN. DOORS: (2) 3'-0" X 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION. |
| W07 | FD-C | 6'-2" | 7'-0" | 1 3/4" | НМ | PT | - | - | - | - | - | - | 03 | REPLACE DOORS AND HARDWARE ONLY; FRAME TO REMAIN. DOORS: (2) 3'-0" X 7'-0" DOORS WITH 2" REMOVABLE CENTER MULLION. |
| W10 | F | 3'-0" | 7'-0" | 1 3/4" | HM | PT | Α | HM | PT | 3/A8.03 | 2/A8.03 | - | 04 | |



SAWCUT AND REMOVE

EXISTING FRAME, TYP AT

BOTH JAMBS

DETERIORATED PORTION OF

WELD REPLACEMENT FRAME PIECE TO EXISTING DOOR

FRAME. GRIND ALL WELDS

SMOOTH, TYP. BOTH JAMBS

CHIP AWAY LIMITED PORTION

OF EXISTING MORTAR FILL

TO ALLOW FOR ALIGNMENT

- TREAT ENTIRE EXISTING AND

NEW FRAME PIECE WITH CORROSION INHIBITOR, TYP

PREP, PRIME, AND PAINT

ENTIRE DOOR AND FRAME


ACCOMMODATE DOOR LEAF AND HARDWARE, TYP

NOTE: VERIFY AND MATCH

8 TYPICAL HOLLOW METAL DOOR REPAIR DETAIL SCALE: 3" = 1'-0"

EXACT FRAME PROFILE, DEPTH, AND GAUGE IN FIELD, TYP









1500 W STEWART AVE PARK RIDGE, IL 60068

DOOR & WINDOW SCHEDULES & DETAILS

Project Number: 230153-02 Drawn By: WIGHT Sheet:

- HOLLOW METAL DOOR AND

THRESHOLD SET IN SEALANT

- EXISTING CONCRETE STOOP

EXISTING FLOOR SLAB

A8.03